EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	99	((("20050232302") or ("20050251564") or ("20050235292") or ("20040216139") or ("20060004559") or ("7356046") or ("20050175031") or ("5963726") or ("6085156") or ("6223134") or ("6223134") or ("5627998") or ("5640572") or ("5717614") or ("5771388") or ("5905649") or ("6405145") or ("6418392") or ("6975957") or ("7134081") or ("20020184326") or ("20030035008") or ("20050234675") or ("20060004535") or ("5710727") or ("5724272") or ("5847955") or ("5920479") or ("5740185") or ("5790977") or ("5784275") or ("5847953") or ("5619489") or ("5734119") or ("20060206626") or ("20040190458") or ("20070248021") or ("5870350") or ("5964892") or ("20030174070") or ("20040088448") or ("6101311") or ("6175771") or ("6824539") or ("20040024384") or ("5721676") or ("5345562") or ("5772963") or ("5809518") or ("6633937") or ("20020083242") or ("20060177795") or ("5283889") or ("RE35480") or ("5696987") or ("6882946") or ("20030191595") or ("5025141") or ("5045675") or ("5517015") or ("5625795") or ("6016255") or ("6036101") or ("6330977") or ("6370455") or ("5872827") or ("6035247") or ("5958028") or ("5974541") or ("6138148") or ("6195768") or ("6232541") or ("20060268926") or ("4088990") or ("5379214") or ("4926413") or ("5596631") or	US-PGPUB; USPAT	OR	OFF	2009/04/30 11:45

		("5788688") or ("5793813") or ("7253385") or ("7319936") or ("20050248764") or ("20060123296") or ("20070253056") or ("20080077350") or ("6421745") or ("5636344") or ("5850388") or ("5850386") or ("6111888") or ("4799059") or ("4914688") or ("4945806") or ("4998274") or ("5270475") or ("5287528") or ("5392224") or ("5426643") or ("5528675") or ("5572684")).PN.				
L2	124	(@ay="2004" OR @rlad<="20040415") AND SCPI AND (translat$3 OR convert$3 OR transform$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45
L3	289	(@ay="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol ADJ (command OR instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45
L4	5	(@ay<="2004" OR @rlad<="20040415") AND SCPI AND (translat$3 OR convert$3 OR transform$3) WITH protocol ADJ (command OR instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45
L5	90	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol ADJ (command OR instruction) AND API	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45
L6	107	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol ADJ (command OR instruction OR query) AND API	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45
L7	18	(@ay<="2004" OR @rlad<="20040415") AND SCPI AND "NET"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45
L8	18	(@ay<="2004" OR @rlad<="20040415") AND SCPI AND "NET" AND (translat$3 OR convert$3 OR transform$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45

L9	1	("7134081").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/30 11:45
L10	18	(@ay<="2004" OR @rlad<="20040415") AND SCPI AND NET AND (translat$3 OR convert$3 OR transform$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45
L11	168	(@ay<="2004" OR @rlad<="20040415") AND ((Standard ADJ Instrument$6) OR SCPI) AND NET AND (translat$3 OR convert$3 OR transform$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45
L12	11	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH protocol WITH validat$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45
L13	44	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction OR query) WITH protocol SAME validat$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45
L14	39	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction OR query) WITH protocol AND validat$3 WITH parameter	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45
L15	9	(@ay<="2004" OR @rlad<="20040415") AND SCPI AND "NET" AND (API OR (Application ADJ Programming ADJ Interface))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45
L16	144	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) SAME validity WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45
L17	25	(@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND (command OR query) WITH validat$3 WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45

L18	4	(("7134081") or ("20050091269") or ("5958010") or ("20020124108")).PN.	US-PGPUB; USPAT	OR	OFF	2009/04/30 11:45
L19	3	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) AND (stream ADJ format) AND (command OR query) WITH validat$3 WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45
L20	49	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) SAME (stream ADJ format) SAME (command OR query)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45
L21	5	(@ay<="2004" OR @rlad<="20040415") AND before WITH (translat$3 OR convert$3 OR transform$3) SAME (stream ADJ format) SAME (command OR query)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45
L22	17	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH protocol SAME NET	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:45
L23	9	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME NET ADJ protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:46
L24	294	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME NET	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:46
L25	332	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH validat$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:46

L26	87	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME (((determin$ OR ascertain$) ADJ validity) OR validat$3) WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:46
L27	89	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME (((determin$ OR ascertain$ OR evaluat$3) ADJ validat$3) OR validat$3) WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:46
L28	202	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) AND (((determin$ OR ascertain$ OR evaluat$3) ADJ validity) OR validat$3) WITH command WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:46
L29	49	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME (((determin$ OR ascertain$ OR evaluat$3) ADJ validity) OR validat$3) WITH command WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:46
L30	55	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME (((determin$ OR ascertain$ OR evaluat$3) ADJ validity) OR validat$3) WITH (command OR instruction) WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:46
L31	5	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH SCPI ADJ protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:46

L32	29	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH SCPI	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:46
L33	49	(@ay<="2004" OR @rlad<="20040415") AND (translated OR converted OR transformed) ADJ5 (command OR instruction) WITH validat $3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:46
L34	1	("6766386").PN.	US-PGPUB; USPAT	OR	OFF	2009/04/30 11:47
L35	362	(@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND status ADJ register WITH (queue OR FIFO)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 11:47
L36	3057	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 14:29
L37	289	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol ADJ (command OR instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 14:56
L38	67	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol ADJ (command OR instruction) AND validat$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 14:57

4/30/2009 6:08:46 PM
C:\ Documents and Settings\ hyu\ My Documents\ EAST\ Workspaces
\ 10825466_SCPI_NET_Translation_A3.wsp